

# Price List – November 2020

## How to choose and price your tool:

**STEP**  
**1**

Select  
Tool

**STEP**  
**2**

Choose  
Router or  
Spindle

**STEP**  
**3**

Select Accessories,  
Additional Software,  
Vacuum Systems,  
& Dust Collectors

**STEP**  
**4**

Shipping  
& Crating  
Charges

**STEP**  
**1**

## ShopBot PRSalpha & PRSstandard CNC Systems

ShopBot Personal Robotic Systems include VCarve Pro design software, ShopBot Control Software, Dust Skirt, X and Y Axis Proximity Switches, and Z-zero Plate.

### ShopBot's Professional Alpha CNC Tools

#### PRSalpha Full Size

PRSalpha 48-48 w/ 8" Z axis	\$17,982.00
PRSalpha 96-48 w/ 8" Z axis	\$20,344.00
PRSalpha 96-60 w/ 8" Z axis	\$21,415.00
PRSalpha 120-60 w/ 8" Z axis	\$24,713.00
PRSalpha 144-60 w/ 8" Z axis	\$28,322.00
PRSalpha 96-48 w/ 14" Z axis	\$23,134.00
PRSalpha 96-60 w/ 14" Z axis	\$24,383.00
PRSalpha 120-60 w/ 14" Z axis	\$27,568.00

#### ShopBot Buddy® Alpha

PRSalpha BT32 w/ 8" Z axis	\$13,092.00
PRSalpha BT48 w/ 8" Z axis	\$15,294.00
PRSalpha BT48 w/ 14" Z axis	\$18,015.00

#### 5-Axis

PRSalpha 5-Axis	\$42,380.00
-----------------	-------------

### ShopBot's Professional Standard CNC Tools

#### PRSstandard Full Size

PRSstandard 48-48 w/ 8" Z axis	\$12,872.00
PRSstandard 96-48 w/ 8" Z axis	\$15,234.00
PRSstandard 96-60 w/ 8" Z axis	\$16,305.00

#### ShopBot Buddy® Standard

PRSstandard BT32 w/ 8" Z axis	\$9,447.00
PRSstandard BT48 w/ 8" Z axis	\$11,649.00

#### Handibot® Smart Power Tool v2.1 includes Dewalt Router

v2.1 Adventure Edition 6-8 w/ 3" Z axis (US Version)	\$4,795.00
--	------------

#### ShopBot Desktop MAX ATC (36-24) includes 1.1HP Spindle

DTMAX w/Aluminum "T" slot extrusion deck	\$14,950.00
DTMAX w/Universal Vacuum Hold Down Deck Kit	\$15,465.00

#### ShopBot Desktop MAX (36-24) includes 1.1HP Spindle

DTMAX w/Aluminum "T" slot extrusion deck	\$9,475.00
DTMAX w/Universal Vacuum Hold Down Deck Kit	\$9,990.00

#### ShopBot Desktop (24-18) includes 1.1HP Spindle

DT w/Aluminum "T" slot extrusion deck	\$7,615.00
DT w/Universal Vacuum Hold Down Deck Kit	\$8,065.00

### PRSalPHA & PRSSTANDARD DIMENSIONS (LENGTH X WIDTH X PLUNGE)

	48-48	96-48	96-60	120-60	144-60	Buddy 32*	Buddy 48*	Desktop	Desktop MAX Desktop MAX ATC
<b>Cut/ Movement Area**</b>	57" x 49" x 8" (1.45m x 1.24m x .2m)	105" x 49" x 8" (2.67m x 1.24m x .2m)	105" x 61" x 8" (2.67m x 1.55m x .2m)	129" x 61" x 8" (3.28m x 1.55m x .2m)	153" x 61" x 8" (3.89m x 1.55m x .2m)	25" x 33" x 8" (.64m x .84m x .2m)	25" x 49" x 8" (.64m x 1.27m x .2m)	24" x 18" x 5.5" (.61m x .46m x .14m)	38" x 25" x 5.5" (.97m x .64m x .14m)
<b>Footprint</b>	L72" x W79" x H67" (1.83m x 2.01m x 1.70m)	L120" x W79" x H67" (3.05m x 2.01m x 1.70m)	L120" x W91" x H67" (3.05m x 2.31m x 1.70m)	L144" x W91" x H67" (3.66m x 2.31m x 1.70m)	L168" x W91" x H67" (4.27m x 2.31m x 1.70m)	L36" x W56" x H67" (.91m x 1.42m x 1.70m)	L36" x W76" x H67" (.91m x 1.93m x 1.70m)	L39" x W32" x H30" (.99m x .76m x .76m)	L48" x W39" x H30" (1.22m x .99m x .76m)

\*For the BT32 & BT48, the cutting table under your work moves to provide motion on the X axis.

# STEP 2

## Spindle Packages & Routers

Spindle packages include collets, collet nuts, wrenches, pre-programmed/pre-wired frequency drive & RPM controller 220 V 1ph, 230V 3ph, 380/460V 3ph

### Automatic Tool Changers, Spindle Packages, and Accessories

12XXX	Automatic Tool Changer including HSD 5 HP choose 1ph or 3ph	\$9,892.00
12605	HSD 1HP 110V 1ph for the Desktop	\$1,620.00
125XX	HSD 2.2 HP 230V 3ph or 220V 1ph	\$2,660.00
125XX	HSD 4 HP 230V 3ph	\$3,085.00
125XX	HSD 4 HP 220V 1ph	\$3,510.00
125XX	Colombo 5HP 220V 1ph	\$4,360.00
126XX	Colombo 5HP 230V 3ph	\$3,850.00
126XX	Colombo 5HP 380/460V 3ph	\$4,920.00
12XXX	Colombo 3HP 220V 1ph or 230V 3ph	\$3,445.00

### Porter Cable Routers

000100	Model 892: 2.25 HP, 60Hz, 110V, var speed (router only) PRS 3 & PRS 4	\$385.00
22016	Model 892: 2.25 HP, 60Hz, 110V, var speed (router w mounting plate kit)	\$526.00

# STEP 3

## Accessories, Additional Software, Vacuum Systems, & Dust Collectors

### Production Aids and Accessories

10451	4' PowerStick (6' long) for the BT32 and BT48 Buddy	\$925.00
	Collets for Router and Spindles	Starting at: \$25.00
13698	Desktop Starter Bit Kit – 7 Onsrud Cutters	\$216.00
13699	ShopBot Starter Bit Kit – 8 Onsrud Cutters	\$258.00
13705	Sign Makers Bit Kit – 6 Onsrud Cutters	\$200.00
14510	Additional Dual Z – PRSalpha Actual cutting width is decreased by 10" when using a second Z axis.	\$1,995.00
14501	PRS Retro Z Axis – For replacing a PR or PRT Z axis with a PRS Z axis	\$1,495.00
14525	Air Drill Head – For automated drilling (alpha models only) Requires air assist	\$1,750.00 \$735.50
15105	Rotary Indexer – 6" for PRSstandard	\$2,750.00
004737	Rotary Indexer – 6" for PRSalpha	\$3,075.00
15104	Rotary Indexer – 12" for PRSalpha	\$5,995.00
005065	Rotary Indexer – 6" Gecko G250X for Desktop/Desktop MAX	\$2,250.00
15145	Rotary Indexer – 3" Gecko G250X for Desktop/Desktop MAX	\$950.00
12705	E-Chain X48 Kit – Cable carrier system for 48"-axis PRS tools	\$320.00
005697	Edge Clamping Fixture for Desktop/Desktop MAX	\$395.00
15160	3D Digitizing Probe	\$395.00
13103	Diamond Drag Engraving Bit by WidgetWorks - Fits 1/2" collet	\$179.99
13102	Drag Knife Bit - For 1/4" collet	\$149.99
13105	Plotter Pen Bit - For 1/2" collet	\$39.95
13108	Drag Knife by Donek for Thick Material 1/2" collet	\$239.00
18103/18003	Desktop Mini Enclosure or Desktop MAX Mini Enclosure	\$195.00
005976	Desktop Invision Full Enclosure - Aluminum and acrylic	\$1,200.00
005975	Desktop MAX Invision Full Enclosure - Aluminum and acrylic	\$1,500.00

### Vacuum Systems

*PVC kit not included. Call for pricing as PVC kit price varies based on tool size.*

10.0hp Regenerative Blower – 13"Hg@140CFM w/pump, motor starter, filter, relief valve, vacuum gauge, 230-460v 3 phase, 82dBa or 220V 1 phase	\$8,699.00
10.0hp Rotary Vane 25"Hg@175CFM w/pump, motor starter, filter, relief valve, vacuum gauge, 230-460v 3 phase, 81dBa/1 phase	\$5,995.00/\$6,262.00

**STEP 3**  
continued

## Additional Design and Machining Software

006066	VCarve Pro Full Version (included with all new ShopBots)	\$699.00 <i>(when sold separately)</i>
11145	CabinetPartsPro – Automates and simplifies the creation of toolpath files for standard cabinet components	\$250.00
11151	PhotoVCarve	\$149.00
	Vector Art Mega Collection 1, 2 or 3 – Thousands of clip art files	Each: \$149.00
11163	Aspire 3D CAD/CAM <i>upgrade from VCarve Pro at time of new tool purchase</i>	\$1,300.00
11162	Aspire 3D CAD/CAM <i>when sold separately</i>	\$1,995.00

## Training, Assembly, and Support Services

### ShopBot Basic Training

– Two days (once a month) at ShopBot Headquarters in Durham, NC \$300.00

### Assembly and on-site training

– Four-day min @ \$950.00 per day. (Travel expenses additional.) Call for quote

### Custom tool assembly

Call for quote

### Customized ShopBot software training in your shop

– Up to five people per day (travel expenses additional). Per Day: \$950.00

### One-on-one software training at ShopBot Headquarters in Durham, NC.

Per Hour: \$100.00

### Contract design work – Call for availability

Per Hour: \$100.00

### Technical support – Monday-Friday 9 a.m. – 5 p.m. by phone

(Nights and weekends by email and voice mail) FREE

## Dust Collector

14745	1.5hp, 60Hz, 110v, 1,280CFM, FLA 16A, 2-4" Ports, 6" Inlet with 4" dia, 18' clear flex hose <i>Note: This only works on 60hz power</i>	\$679.95
005934	Oneida Mini Gorilla 22 Gallon KIT Includes: 1- Molded Mini Gorilla Cyclone, 1- Hose Adapter 5x4x4, 3-Hose Clamps. <i>Additional Shipping Charge: Oneida Mini Gorilla drop ships from manufacturer</i>	\$1,492.00 \$320.00

**STEP 4**

## Shipping & Crating

ShopBot will ship with the commercial carrier of our choice. Call or email for shipping of custom tools (including table for modified Z) or for shipping outside the contiguous USA. Orders shipped outside of the USA will be charged a crating fee of \$450.00. All international orders are shipped CIF, taxes and duties are not included.

### Shipping and Crating Charges

DESTINATION	48, 60, 96	120, 144	BT32 Buddy	BT48 Buddy	Desktop 2418	MAX ATC D3624 MAX D3624
Eastern US (East of Mississippi River)	\$675.00	\$825.00	\$725.00	\$800.00	\$350.00	\$400.00
Central US (Mississippi River to Rockies)	\$775.00	\$875.00	\$850.00	\$900.00	\$350.00	\$500.00
Western US (West of the Rockies)	\$1,075.00	\$1,125.00	\$1,150.00	\$1,200.00	\$350.00	\$600.00
Crating Fee	\$275.00	\$275.00	\$275.00	\$275.00		

All prices and costs published by ShopBot (both digitally and in print) are based on orders within the contiguous USA. All other orders may incur additional costs/fees.

# Specifications

Controlled via USB port. Requires Windows XP Pro/Vista/7. Min. 800 MHz, 512M RAM. 1024x768 graphics display recommended for the shop monitor. 1280x1024 graphics display recommended for the design monitor (if separate from the shop monitor). If the shop computer will not be networked, an additional USB port for file transfer is useful. ShopBot Control Software produces simultaneous movement in three - five axes (4th and 5th axes used with optional equipment such as 2nd Z axis, indexer or five-axis head).

## ShopBot PRSalpha Specifications

Drive Motor: Closed loop steppers with 7.2:1 gearboxes. With constant positional feedback to the drivers, if an obstruction is hit or cutting too fast the drivers will attempt to correct the position of the motors before activating an alarm, stopping the machine and displaying an alarm on the monitor. Once reset and homed, cutting should be able to be resumed.	
XY Move Speed (with full cutting force)	Variable, max. 600"/min. (15.2m/min.)
Z Move Speed (with full cutting force)	Variable, max. 360"/min. (9.1m/min.)
XY Positioning Speed	Variable, max. 1800"/min. (45.7m/min.)
Z Positioning Speed	Variable, max. 900"/min. (22.8m/min.)
Step Resolution	.0004" (0.010mm)
Positional Repeatability	+/- 0.002" (0.051mm)
Linear Cutting Force	~150# at 60" per minute
X and Y Axis Drive System	Rack and Pinion
Z Axis Drive System	Rack and Pinion
Input Voltage	220v single-phase, 230v 3-phase and 380/460V 3-phase power options are available, depending on tool and configuration.*
Eight Input Channels (switch closure or 5-volt logic input), Eight Output Channels (5-volt logic level current)	

## ShopBot PRSstandard Specifications

Drive Motor: Open loop steppers with 3.6:1 gearboxes. Without positional feedback, if attempting to cut too fast or an obstruction hit, steps could be lost and not noticed until the part file has completed or the operator stops.	
XY Move Speed (with full cutting force)	Variable, max. 360"/min. (9.1m/min.)
Z Move Speed (with full cutting force)	Variable, max. 120"/min. (3m/min.)
XY Positioning Speed	Variable, max. 480"/min. (12.1m/min.)
Z Positioning Speed	Variable, max. 480"/min. (12.19m/min.)
Step Resolution	0.0006" (0.015mm)
Positional Repeatability	+/- 0.002" (0.051mm)
Linear Cutting Force	~50# at 60" per minute
X and Y Axis Drive System	Rack and Pinion
Z Axis Drive System	Rack and Pinion
Input Voltage	110v or 220v single-phase and 230v 3-phase power options are available, depending on tool and configuration.*
Eight Input Channels (switch closure or 5-volt logic input), Eight Output Channels (5-volt logic level current)	

Mechanical parts such as table, gantry, Z axis... are the same for both types of machines.

\* Connecting either the PRSalpha or PRSstandard requires the services of a licensed electrician. Please check the website or contact ShopBot for the wiring information for the set-up you are considering.

## ShopBot Desktop 2418, Desktop MAX 3624, Desktop MAX ATC 3624 Specifications

XYZ Move Speed	Variable, max. 4"/sec (100mm/sec) 240"/min. (6.1m/min.)
XYZ Positioning Speed	Variable, max. 6"/sec (150mm/sec) 360"/min. (9.1m/min.)
Step Resolution	0.00025" (.006mm)
Positional Repeatability	+ 0.001" (0.025mm)

# Meet the new heavy hitter in the Desktop tool line-up: ShopBot Desktop MAX ATC

This newest addition to our desktop CNC tool line has the industrial precision and power capabilities of our other desktop routers—but has the added efficiency of an Automatic Tool Changer (ATC). An ATC reduces production time by quickly and robotically changing cutters between tool paths. This eliminates the need to change and zero tools individually and allows you to complete jobs in a fraction of the time.

The ShopBot Desktop MAX ATC has a 36" x 24" work area, and is available with two different deck options: an aluminum t-slot deck or a Universal Vacuum hold down deck. Take full advantage of the flexibility our tools and the productivity of automation in the smaller footprint of a ShopBot Desktop MAX ATC.



## There's a ShopBot for every size shop and project.



## ShopBot Warranty

ShopBot warrants that the system will perform in substantial compliance with the instructions and documentation supplied. ShopBot further warrants that all components of the tool, except for those parts subject to normal wear (e.g. pinion gears, gear rack, springs), will be free from defects in material or workmanship for two years from the date of purchase. SELLER'S SOLE OBLIGATION AND YOUR EXCLUSIVE REMEDY under this Limited Warranty and, to the extent permitted by law, any warranty or condition implied by law, shall be the repair or replacement of parts, without charge, which are defective in material or workmanship and which have not been misused, carelessly handled, or mis-repaired by persons other than Seller. ShopBot reserves the right to use new or ShopBot remanufactured components for warranty replacement. Components repaired under warranty repairs will be returned to customer at ShopBot's expense via surface mail. Overnight or express shipping will be at the customer's expense. There are no warranties extending beyond the above warranties. All resold products constituting accessories and secondary components (such as, but not limited to, routers, spindles, vacuum pumps, etc) are subject to their own manufacturer's warranties.

**PAYMENT OPTIONS** – ShopBot requires payment in full with the order. We accept checks, bank wire transfer, Discover, MasterCard, Visa and American Express. All international orders must be paid by bank wire transfer. *All customs charges and import taxes are the responsibility of the purchaser.*

**All written quotes are good for 30 days. All prices are subject to change without notice.**